

From: [Jennifer Woronets](#)
To: [Eric Blischke/R10/USEPA/US@EPA](#)
Cc: [Jennifer Woronets](#)
Subject: RE: Stormwater Loading Comments
Date: 08/17/2010 05:14 PM

You are correct.

Thank you,
Jen Woronets ©
Anchor QEA, LLC
jworonets@anchorqea.com
1010 NW Flanders, Suite 204
Portland, OR 97209

503-688-5057 Ext 14

Please note new address and phone number

Please consider the environment before printing this email.
-----Original Message-----
From: Blischke.Eric@epamail.epa.gov [mailto:Blischke.Eric@epamail.epa.gov]
Sent: Tuesday, August 17, 2010 4:44 PM
To: Jennifer Woronets
Cc: Humphrey.Chip@epamail.epa.gov
Subject: RE: Stormwater Loading Comments

We will correct that. So just to confirm - Bob is the chair, Jim is not a co-chair and Jim does not go by Mrs McKenna - correct?

Eric

From: "Jennifer Woronets" <jworonets@anchorqea.com>
To: Eric Blischke/R10/USEPA/US@EPA
Cc: "Jennifer Woronets" <jworonets@anchorqea.com>
Date: 08/17/2010 04:18 PM
Subject: RE: Stormwater Loading Comments

Eric,

Please note that EPA's stormwater loading comments cover letter incorrectly lists Jim McKenna as the LWG co-chair and refers to him as Mrs. McKenna.

Thank you,
Jen Woronets ©
Anchor QEA, LLC
jworonets@anchorqea.com
1010 NW Flanders, Suite 204
Portland, OR 97209

503-688-5057 Ext 14

Please consider the environment before printing this email.

The information is intended to be for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying, distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by electronic mail at jworonets@anchorqea.com

-----Original Message-----
From: Blischke.Eric@epamail.epa.gov [mailto:Blischke.Eric@epamail.epa.gov]
Sent: Tuesday, August 17, 2010 2:25 PM
To: Bob Wyatt; jim.mckenna@verdantllc.com
Cc: Humphrey.Chip@epamail.epa.gov; Koch.Kristine@epamail.epa.gov; Carl Stivers; Jennifer Woronets
Subject: Stormwater Loading Comments

Jim and Bob, attached are EPA's comments on the Stormwater Loading Calculations Report. The loading calculations are approved for use in the model. EPA is requesting a revised report within 30 days so we can approve the report as a final.

Please let me know if you have any questions.

Thanks, Eric

(See attached file: EPA Stormwater Methods Cover letter 081710.pdf)(See

attached file: EPA Comments on Stormwater Loading Methods08172010.pdf)